

Docket No.: YOR920020013US1

1

LISTING OF THE CLAIMS

2 CLAIMS

3 Having thus described our invention, what we claim as new and desire to secure by Letters Patent
4 is as follows:

5 1. (previously presented) A method comprising a requester discovering at least one service in a
6 local domain, including the steps of:

7 obtaining an address of a proxy serving as a Service Discovery Proxy for said local domain;

8 establishing a connection to said Service Discovery Proxy; and

9 employing said Service Discovery Proxy in discovering dynamic availability of said at least one
10 service in said local domain, wherein the step of employing includes:

11 said Service Discovery Proxy receiving a request from said requester for service discovery;

12 said Service Discovery Proxy invoking a service discovery protocol in said local domain;

13 customizing responses from services in said local domain; and

14 said Service Discovery Proxy sending customized responses to said requester.

15 2. (original) A method as recited in claim 1, further comprising employing one service from said
16 at least one service.

17 3. (original) A method as recited in claim 1, wherein the step of obtaining includes:

Application/Control Number: 10/053,011

2/18

Docket No.: YOR920020013US1

- 1 contacting a central registry having addresses for a plurality of Service Discovery Proxies; and
- 2 selecting the address of a particular Service Discovery Proxy serving the local domain.
- 3 4. (original) A method as recited in claim 1, wherein the step of establishing includes employing
4 said address in accordance with a transmission protocol.
- 5 5. (original) A method as recited in claim 4, wherein the transmission protocol is TCP/IP.
- 6 6. (original) A method as recited in claim 1, wherein the step of employing includes querying
7 said Service Discovery Proxy for a list of services currently active in said local domain.
- 8 7. (original) A method as recited in claim 1, wherein said requester provides a list of services for
9 which status is queried to said Service Discovery Proxy .
- 10 8. (original) A method as recited in claim 7, further comprising dynamically updating the list of
11 services currently active in said local domain without registering any of said services with a
12 central registry.
- 13 9. (canceled)
- 14 10. (previously presented) A method as recited in claim 1 ~~claim 9~~, wherein the step of
15 customizing includes at least one function taken from a group of functions including: formatting;
16 filtering; aggregating; encapsulating; segmenting; selecting, and a requester defined function.
- 17 11. (previously presented) A method as recited in claim 1 ~~claim 9~~, wherein the service discovery
18 protocol includes Service Location Protocol.

Docket No.: YOR920020013US1

1 12. (original) A method as recited in claim 1, wherein the step of employing includes receiving
2 information enabling said requester to utilize said at least one service.

3 13. (previously presented) A method comprising forming a Service Discovery Proxy including
4 the steps of:

5 assigning an available proxy to represent a local domain;

6 establishing a connection between said available proxy and a network; and

7 registering said available proxy as the Service Discovery Proxy representing the local domain,
8 wherein the step of registering is performed employing a central registry.

9 14. (canceled)

10 15. (previously presented) A Service Discovery Proxy comprising:

11 a network communication module having an assigned communication address,

12 a service detector module to detect dynamically available services in a local domain represented
13 by said proxy;

14 a processing module to process at least one incoming query from a requester regarding
15 availability of at least one service; and

16 a responding module to form outgoing responses to said at least one incoming query allowing
17 discovery of any of said dynamically available services by said requester, wherein said network
18 communication module obtains an assigned network communication address from a network
19 address assigning entity; and

Docket No.: YOR920020013US1

1 registers said assigned network communication address with a central registry as a Service
2 Discovery Proxy.

3 16. (original) A proxy as recited in claim 15, wherein said communication address exists in a
4 central registry to allow said proxy to be accessed from a plurality of requesters.

5 17. (original) A proxy as recited in claim 15, wherein said network communication module
6 further:

7 establishes a listening port for incoming queries; and

8 communicates with a plurality of requesters with a transmission protocol.

9 18. (canceled)

10 19. (original) A proxy as recited in claim 15, wherein said service detector module supports at
11 least one communications functionality from a group of functionalities including:

12 at least one physical communication media;

13 at least one link protocol;

14 at least one network protocol;

15 at least one transmission protocol;

16 at least one service discovery protocol;

17 receiving service queries from said processing module;

Docket No.: YOR920020013US1

- 1 determining an appropriate communication protocol to be used;
 - 2 performing service discovery in accordance with a selected service discovery protocol; and
 - 3 any combination of these.
- 4 20. (original) A proxy as recited in claim 15, wherein said service detector module determines an
5 appropriate communication protocol to use.
- 6 21. (original) A proxy as recited in claim 15, wherein said processing module performs a
7 function taken from a group of functions including:
- 8 querying the availability of at least one service;
 - 9 querying all available services;
 - 10 querying the employment of said service;
- 11 interpreting said query and invoking service detector module; and
- 12 any combination of these.
- 13 22. (original) A proxy as recited in claim 15, wherein said responding module transmits said
14 query response to the requester.
- 15 23. (original) A proxy as recited in claim 15, wherein said responding module aggregates a
16 plurality of query responses before transmitting a particular response to the requester.
- 17 24. (original) An article of manufacture comprising a computer usable medium having computer
18 readable program code means embodied therein for causing requester discovery of a service, the

Docket No.: YOR920020013US1

1 computer readable program code means in said article of manufacture comprising computer
2 readable program code means for causing a computer to effect the steps of claim 1.

3 26. (canceled)

4 25. (original) A program storage device readable by machine, tangibly embodying a program of
5 instructions executable by the machine to perform method steps for requester service discovery,
6 said method steps comprising the steps of claim 1.

7 27. (original) A computer program product comprising a computer usable medium having
8 computer readable program code means embodied therein for causing functions of a Service
9 Discovery Proxy, the computer readable program code means in said computer program product
10 comprising computer readable program code means for causing a computer to effect the
11 functions of claim 15.